

# Krebs Technequip™ Knife Gate Valves



- Fluorocarbon coated 316L stainless steel gate
- Bi-Directional Operation



# Krebs Technequip™ Knifegate Valves



The Technequip™ Knifegate Valve is a true bi-directional slurry knife gate valve. Its massive rubber sleeves were designed to seal and withstand the harsh abrasive duty inherent in mining and milling facilities.

The Technequip™ Knifegate Valve includes the following standard features:

- ANSI B16.5 Class 150 flange bolt pattern
- All air cylinder actuated valves are supplied with an internal ring magnet for position indication
- Interchangeable with the Clarkson KGA™ J-Ring model knife gate valve
- Prompt Deliveries



- Fluorocarbon coated 316L stainless steel gate
- Zinc-Nickel Plated Hardware
- Epoxy Paint
- Bi-Directional Operation
- No Packing to bind the gate
- A CNC machined gate guide & body
- Low Durometer Seats for maximum erosion protection

Optional Features Include:

- Cylinder mounted reed / proximity switches (non-contacting)
- Splash Guard with 2 FNPT Ports
- Seats available in pure gum rubber / neoprene / chlorobutyl / E.P.D.M.
- Lock Outs
- Solenoid valves with manual override and power indication LED

VALVE SIZE		3"	4"	6"	8"	10"	12"	14"	16"	18"	20"	24"	30"
Face to Face <sup>1</sup> (installed)	inches	5.75	5.75	5.86	6.13	8.88	10.13	10.13	11	12.13	14.13	14.63	15.63
	mm	146	146	149	156	226	257	257	279	308	359	372	397
Max. Height <sup>2</sup> from Centerline	inches	22.81	26.13	32.38	37.13	42.5	48.44	53.13	59.88	67.69	73.38	87.88	102.94
	mm	579	664	822	943	1079	1231	1650	1522	1720	1863	2233	2615
Max. Width <sup>2</sup>	inches	9	10	12.75	15.19	16.75	21.19	22.31	24.88	26.63	28.38	33.75	41.5
	mm	229	254	324	386	425	538	566	632	676	721	857	1054
Max. Operating Pressure	psi	100	100	100	100	100	100	100	100	100	100	*	*
	kPa	689	689	689	689	689	689	689	689	689	689	*	*

\* Contact Krebs

1 Allow 1/4" to 1/2" for ease of installation

2 Maximum widths and heights are based on air cylinder actuated valve for 3" - 24" and hydraulic actuated valve for 30"

Actuator Options - Air Cylinder, Handwheel, Bevel Gear, Hydraulic and Electric



www.Krebs.com or  
www.FLSmidthMinerals.com

©FLSmidth Group 2008. All rights reserved. This brochure makes no offers, representations or warranties (express or implied), and information and data contained in this brochure are for general reference only and may change at any time. Please contact FLSmidth Mineral for specific information or data that may relate to your interests